



BRZ/FRS/AE86 Injec

Use the below total injection ratio

		Total Injection Ratio Port - Cold						
		Engine Load (g/rev)						
		0.10	0.20	0.30	0.40	0.50	0.60	0.70
Engine Speed (RPM))	600	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	800	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	1200	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	1600	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	2000	0.000	0.000	0.000	0.383	0.430	0.453	0.500
	2400	0.000	0.000	0.000	0.352	0.383	0.430	0.500
	2800	0.000	0.000	0.000	0.352	0.383	0.430	0.500
	3200	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	4800	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	5200	0.000	0.000	0.000	0.000	0.000	0.000	0.000

		Total Injection Ratio port - Hot						
		Engine Load (g/rev)						
		0.10	0.20	0.30	0.40	0.50	0.60	0.70
Engine Speed (RPM))	600	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	800	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	1200	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	1600	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	2000	0.000	0.000	0.000	0.383	0.430	0.453	0.500
	2400	0.000	0.000	0.000	0.352	0.383	0.430	0.500
	2800	0.000	0.000	0.000	0.352	0.383	0.430	0.500
	3200	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	4800	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	5200	0.000	0.000	0.000	0.000	0.000	0.000	0.000

		Total Injection Ratio Port - Warm						
		Engine Load (g/rev)						
		0.10	0.20	0.30	0.40	0.50	0.60	0.70
Engine Speed (RPM))	600	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	800	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	1200	0.000	0.000	0.000	0.383	0.453	0.500	0.500
	1600	0.000	0.000	0.000	0.383	0.453	0.500	0.500

Injector Characterization Table

Report settings for all DW Injector sizes

0.80	0.90	1.00	1.10	1.20
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.000	0.000	0.000
0.500	0.500	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000
0.000	0.203	0.203	0.203	0.203

0.80	0.90	1.00	1.10	1.20
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.000	0.000	0.000
0.500	0.500	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000
0.000	0.203	0.203	0.203	0.203

0.80	0.90	1.00	1.10	1.20
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.500	0.500	0.500

0.500	0.500	0.500	0.500	0.500
0.500	0.500	0.000	0.000	0.000
0.500	0.500	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000
0.000	0.000	0.000	0.000	0.000
0.000	0.203	0.203	0.203	0.203